

Dell EMC Ready Architectures for VDI

Designs for Citrix XenDesktop and XenApp for Dell EMC XC Family for Microsoft Windows Server 2016 Environment

September 2018

H17389

Deployment Guide

Abstract

This deployment guide provides instructions for deploying Citrix XenDesktop core components for virtual desktop infrastructure (VDI) and XenApp for Hosted Shared Desktops on XC Family Hyper-converged Infrastructure Appliances in a Microsoft Windows Server 2016 environment.

Dell EMC Solutions

Copyright © 2018 Dell Inc. or its subsidiaries. All rights reserved.

Published September 2018

Dell believes the information in this publication is accurate as of its publication date. The information is subject to change without notice.

THE INFORMATION IN THIS PUBLICATION IS PROVIDED “AS-IS.” DELL MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WITH RESPECT TO THE INFORMATION IN THIS PUBLICATION, AND SPECIFICALLY DISCLAIMS IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. USE, COPYING, AND DISTRIBUTION OF ANY DELL SOFTWARE DESCRIBED IN THIS PUBLICATION REQUIRES AN APPLICABLE SOFTWARE LICENSE.

Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be the property of their respective owners. Published in the USA.

Dell EMC
Hopkinton, Massachusetts 01748-9103
1-508-435-1000 In North America 1-866-464-7381
www.DellEMC.com

CONTENTS

Chapter 1	Overview	5
	Document purpose.....	6
	Audience.....	6
	We value your feedback.....	6
Chapter 2	Hardware and Software Requirements	7
	XC Family prerequisites.....	8
	XenDesktop component requirements.....	8
Chapter 3	Installation and Configuration	11
	Installing Delivery Controller.....	12
	Installing StoreFront.....	13
	Creating a store.....	13
	Configuring trusted domains.....	14
	Creating a site.....	14
	Adding the StoreFront server to the Delivery Controller.....	15
	Adding an External Citrix License Server.....	16
	Installing the Virtual Delivery Agent.....	16
	Deploying a non-persistent MCS catalog.....	17
	Creating delivery groups.....	18
	Deploying XenApp hosted shared desktops.....	19
Chapter 4	References	21
	Dell EMC documentation.....	22
	Citrix resources.....	22

CONTENTS

CHAPTER 1

Overview

This chapter presents the following topics:

- [Document purpose](#)..... 6
- [Audience](#)..... 6
- [We value your feedback](#)..... 6

Document purpose

This guide describes how to deploy the Citrix XenDesktop core components for a virtual desktop infrastructure (VDI) and Citrix XenApp for hosted shared desktops on Dell EMC XC Family devices.

XenDesktop components:

- **Delivery Controller**—The server-side component that is responsible for managing user access, brokering and optimizing connections, and providing the Machine Creation Services that create desktop and server images.
- **StoreFront**—An enterprise application store that provides an interface for users to remotely access XenDesktop and Citrix XenApp virtual desktops and applications.
- **Virtual Delivery Agent**—Software that enables connections to applications and desktops.

This guide does not replace the Citrix XenDesktop documentation. The [XenDesktop documentation](#) and [Citrix VDI Handbook and Best Practices](#) provide more information about deploying XenDesktop.

Microsoft Windows 10 optimizations are not within the scope of this guide because they depend on business IT policies. For more information, refer to the [Citrix VDI Handbook and Best Practices](#) and your local IT policies.

Audience

This guide is intended for decision makers, managers, architects, developers, and technical administrators of IT environments who need an understanding of how to deploy Citrix XenDesktop and XenApp VDI components on XC Family devices.

We value your feedback

Dell EMC and the authors of this document welcome your feedback on the solution and the solution documentation. Contact [Dell EMC Solutions team](#) with your comments.

Authors: Dell EMC Ready Architectures for VDI Engineering Team, Donna Renfro

CHAPTER 2

Hardware and Software Requirements

This chapter presents the following topics:

- [XC Family prerequisites](#)..... 8
- [XenDesktop component requirements](#)..... 8

XC Family prerequisites

Ensure that your environment meets the hardware and software requirements for installing XenDesktop core components on a Dell EMC XC Family devices.

This guide assumes that the following prerequisites have been met:

- Dell EMC XC Family devices has been deployed according to Dell EMC recommendations and the following components are in place and configured:
 - Dell EMC XC Family devices
 - Microsoft Windows Server 2016
 - Microsoft System Center Virtual Machine Manager 2016
 - DHCP
 - NTP
 - Active Directory/DNS
 - Physical switches
 - External Citrix License Server

For more information, see the Dell EMC documentation in the References section of this guide.

Table 1 Required software

Software	Version
Microsoft Windows	10
Microsoft Windows Server	2016 Data Center edition version 1607
Microsoft System Center Virtual Machine Manager (SCVMM)	2016 with UR4
Microsoft SQL Server Standard	2012 SP4 or later
Dell EMC XC Family devices	Dell EMC XC Family devices device built on Dell EMC PowerEdge 14th generation server platform
Citrix XenDesktop	7.15 LTSR
Citrix Virtual Delivery Agent	7.15
Active Directory	2008 R2 or later
Nutanix	AOS 5.5.0.6 or later

XenDesktop component requirements

The XenDesktop core components require three virtual machines, as detailed in the following table.

Table 2 Virtual machine minimum requirements for XenDesktop core components

Component	Virtual machine software	CPUs	Memory	Hard drive
Citrix Delivery Controller	Microsoft Windows Server 2016	1	4 GB	40 GB
Citrix StoreFront	Microsoft Windows Server 2016	1	4 GB	40 GB
Citrix Virtual Delivery Agent	Microsoft Windows 10 Create the master image used to deploy a pool from XenDesktop on this virtual machine.	Specifications depend on the size of your workload.		

The following table lists the minimum hardware requirements for all XenDesktop components.

Table 3 Minimum hardware requirements

Component	Minimum requirements
All core components on one server for evaluation only, not a production deployment	5 GB RAM
All core components on one server for test deployment or a small production environment	12 GB RAM
Citrix Delivery Controller	5 GB RAM, 800 MB hard disk
Citrix Studio	1 GB RAM, 100 MB hard disk
Citrix Director	2 GB RAM, 200 MB hard disk
Citrix StoreFront	2 GB RAM
License server	2 GB RAM

CHAPTER 3

Installation and Configuration

This chapter presents the following topics:

- [Installing Delivery Controller](#) 12
- [Installing StoreFront](#) 13
- [Creating a site](#) 14
- [Adding the StoreFront server to the Delivery Controller](#) 15
- [Adding an External Citrix License Server](#) 16
- [Installing the Virtual Delivery Agent](#) 16
- [Deploying a non-persistent MCS catalog](#) 17
- [Creating delivery groups](#) 18
- [Deploying XenApp hosted shared desktops](#) 19

Installing Delivery Controller

Install Delivery Controller to manage user access, optimize connections, and create desktop and server images.

Before you begin

Ensure that the [Delivery Controller requirements](#) are met.

Procedure

1. On the virtual machine where the software is to be installed, download the XenDesktop software and extract the installers.
2. Right-click **XenApp_and_XenDesktop_7.x.iso** and select **Mount**.
3. Double-click the **AutoSelect** installer application.
4. Select **XenDesktop** and click **Start**.
5. Under **Get Started**, select **Delivery Controller**.
6. Accept the terms of the license agreement and click **Next**.
7. Under **Core Components**, select the required options and click **Next**.

Note

- Do not select **StoreFront**, which is installed later on a different standalone machine.
- We recommend using an external license server, which is installed later. This guide does not provide instructions for installing the Delivery Controller license server feature.

-
8. Under **Features**, select the required options and click **Next**.
 - If a standalone SQL Server instance does not exist, select **Install Microsoft SQL Server 2014 SP2 Express**.
 - If you need the shadowing feature of Director Server, select **Install Windows Remote Assistance**.
 9. Under **Firewall**, select **Automatically** and click **Next**.

This option enables XenDesktop to create the firewall rules for the ports that the XenDesktop components use.
 10. Under **Summary**, review the settings for accuracy and click **Install**.

XenDesktop starts the installation process, which can take several minutes.
 11. Under **Smart Tools**, select the options required for your deployment and click **Next**.
 12. When the installation has completed, click **Finish**.
 13. When Citrix Studio opens, ensure that the currently logged-in user has the required privileges to run Studio.

You cannot run Studio with a local user account.

Results

The **Welcome to Citrix Studio** screen appears.

Installing StoreFront

Install StoreFront on a dedicated virtual machine.

Before you begin

Ensure that the [StoreFront requirements](#) have been met.

Although you can install StoreFront and Delivery Controller on the same virtual machine, we recommend that you install these components on separate dedicated virtual machines.

Procedure

1. On the virtual machine where the software is to be installed, download the XenDesktop software and extract the installers.
2. Right-click **XenApp_and_XenDesktop_7.x.iso** and select **Mount**.
3. Double-click the **AutoSelect** installer application.
4. Select **XenDesktop** and click **Start**.
5. Under **Extend Deployment**, select **Citrix StoreFront**.
6. Accept the terms of the license agreement and click **Next**.
7. Under **Core Components**, accept the default settings and click **Next**.
8. Under **Firewall**, select **Automatically** and click **Next**.

This option enables XenDesktop to create the firewall rules for the ports that the XenDesktop components use.

9. Under **Summary**, review the settings for accuracy and click **Install**.
XenDesktop starts the installation process, which can take several minutes.
10. Under **Smart Tools**, select the options required for your deployment and click **Next**.
11. When the installation has completed, click **Finish**.

Results

The Citrix StoreFront **Welcome** screen appears.

Creating a store

After you have installed StoreFront, create a store to provision VDI virtual machines for users.

Procedure

1. In StoreFront, select **Create a new deployment**.
2. Under **Base URL**, type the base URL for StoreFront to use.
3. Review the **Getting Started** screen and click **Next**.
4. Under **Store Name**, type a name for the store, select the required options, and click **Next**.
5. Under **Delivery Controllers**:
 - a. Type a display name for the Delivery Controller.
 - b. Select the **Transport type** (HTTP or HTTPS).

- c. Click **Add**.
 - d. Type the server name of the Delivery Controller that you installed earlier and click **OK**.
 6. Click **Next**.
 7. Under **Remote Access**, select **Enable Remote Access** if required by your deployment and click **Next**.
 8. Under **Authentication Methods**, select the methods required by your deployment and click **Next**.
 9. Under **XenApp Services URL**, accept the default selections and click **Create**.
 10. Under **Summary**, review the store details and click **Finish**.
- Citrix StoreFront displays the new store.

Configuring trusted domains

In StoreFront, configure a trusted domain for users.

Procedure

1. Under **My Store**, select **Manage Authentication**.
2. Under **Methods**, select **User name and password**.
3. Under **Settings**, select **Configure Trusted Domains**.
4. Select **Trusted domains only** and click **Add**.
5. In the **Add Domain** dialog box, type a domain name and click **OK**.

Creating a site

After you have installed StoreFront, created a store, and configured a trusted domain, use Citrix Studio to create a site.

Procedure

1. Log in to the Delivery Controller and open Citrix Studio.
2. Select **Deliver applications and desktops to your users**.
3. Under **Databases**, provide the following information, and then click **Next**.
 - Select **Create and set up databases from Studio**.
 - In the **Location** field, type the fully qualified domain name (FQDN) of an external SQL Server instance on which to create the databases.
4. Under **Licensing**, accept the default settings:
 - **Use the free 30-day trial**
 - **License server: Localhost**

You will set up the external license server in a subsequent procedure.

Note

If you are not using an external license server and you installed the license feature during the Delivery Controller installation, then you can add the license file in this step. Installation of a local license server is beyond the scope of this guide.

5. Under **Connection**, provide the following information, and then click **Next**.
 - **Connection type:** Select **Microsoft System Center Virtual Machine Manager**.
 - **Connection address:** Type the host name or IP address of the SCVMM Server.
 - **User name:** Type a username with administrator access to the SCVMM Server instance.
 - **Password:** Type the password for the user.
 - **Connection name:** Type a connection name.
6. If a certificate authentication warning appears, refer to your IT policies.
Dell EMC recommends using a CA. For more information, see [Obtain and import a certificate](#) on the Citrix website.
7. Under **Storage Management**, click **Browse**, select a cluster, click **OK**, select the required storage option, and then click **Next**.
8. Under **Storage Selection**, select all the types of virtual machine data to store on the shared storage and click **Next**.
9. Under **Network**, provide the following information, and then click **Next**.
 - Select the networks for the virtual machines to use.
 - Type a name for the network resources.
10. Under **Additional Features**, select the features to install and click **Next**.
11. Under **Summary**, review the information for accuracy, and then click **Finish**.
The **Site Setup** page shows **Configuration Successful**.
12. Click **Test site configuration**.
The results of the testing are displayed. If any outstanding issues exist, refer to the Citrix documentation.

Adding the StoreFront server to the Delivery Controller

Use Citrix Studio to add a StoreFront server to present desktops to end users.

Procedure

1. From Delivery Controller, select **Configuration > StoreFront > Add StoreFront Server**.
2. In the **Add StoreFront Server** dialog box, type the following information and click **OK**.
 - **StoreFront server name**
 - **Description**
 - **URL of the StoreFront server**

Results

The StoreFront server is added to the Delivery Controller.

Adding an External Citrix License Server

Add an external license server.

Procedure

1. From Delivery Controller, select **Configuration > Licensing > Change License Server**.
2. In the **Change License Server** dialog box, type the license server address and click **Connect**.
3. If a warning that the certificate is not trusted appears, refer to your IT policies.

Results

The external license server is connected.

Installing the Virtual Delivery Agent

Install the Virtual Delivery Agent on the virtual machine to be used as the master image on the user virtual machines.

Before you begin

- Ensure that the [Virtual Delivery Agent requirements](#) are met.
- Ensure that the virtual machine to be used as a master image is joined to a domain and is activated for Windows before you create a master image.
- Ensure that required Windows optimizations are completed.

Procedure

1. On the virtual machine where the software is to be installed, download the XenDesktop software and extract the installers.
2. Right-click **XenApp_and_XenDesktop_7.x.iso** and select **Mount**.
3. Double-click the **AutoSelect** installer application.
4. Select **XenDesktop** and click **Start**.
5. Under **Prepare Machines and Images**, select **Virtual Delivery Agent for Windows Desktop OS**.
6. If the User Account Control warning appears, click **Yes**.
7. Under **Environment**, select **Create a Master Image**.
8. Under **HDX 3D Pro**, select one of the following modes and click **Next**.
 - If you are using shared graphics through a GPU card, select **Yes, install VDA in HDX 3D Pro mode**.
 - If you are not using shared graphics, select **No, install VDA in standard mode**.
9. Under **Core Components**, select the required components and click **Next**.
10. Under **Additional Components**, select the required components and click **Next**.
If you use Machine Creation Services (MCS) to provision desktops, select **Citrix Machine Identity Service**.
11. Under **Delivery Controller**, connect the master image to a Delivery Controller:

- a. Type the FQDN hostname of the Delivery Controller.
- b. Click **Test connection**.
- c. If the test is successful, click **Add**.
If the test is unsuccessful, refer to the Citrix documentation for troubleshooting procedures.
- d. Click **Next**.
12. Under **Features**, select the required features and click **Next**.
13. Under **Firewall**, select **Automatically** and click **Next**.
This option enables XenDesktop to create the firewall rules for the ports that the XenDesktop components use.
14. Under **Summary**, review the settings for accuracy and click **Install**.
XenDesktop starts the installation process, which can take several minutes.
15. Under **Smart Tools**, select the options required for your deployment and click **Next**.
16. Under **Finish**, ensure that **Restart machine** is selected and click **Finish**.

Deploying a non-persistent MCS catalog

Deploy a non-persistent MCS catalog on XenDesktop 7.x.

Before you begin

Ensure that XenDesktop and its core components (Delivery Controller, StoreFront, and Virtual Delivery Agent) are installed.

Procedure

1. Log in to the Delivery Controller and open Citrix Studio.
2. Select **Machine Catalog > Create Machine Catalog**.
3. Read the information under **Introduction**, and then click **Next**.
4. Under **Operating System**, select **Desktop OS** and click **Next**.
The selected operating system is used to create the virtual machine pool.
5. Under **Machine Management**, make the following selections, and then click **Next**.
 - Select **Machines that are power managed**. This option enables you to create a pool of virtual machines.
 - For **Deploy machines using**, select **Citrix Machine Creation Services (MCS)**.
6. For **Desktop Experience**, select the options for your deployment and click **Next**.
7. For **Master Image**, select the virtual machine or snapshot to use as the template for virtual machines deployed by the pool and click **Next**.
If no snapshots exist, XenDesktop automatically creates one.
8. Under **Virtual Machines**, provide the following information and click **Next**.
 - Select the number of virtual machines required for the pool.

- Select the amount of memory for each machine.
 - Select the amount of memory allocated to cache.
 - Select the disk cache size.
9. Under **Computer Accounts**, provide the following information and click **Next**.
 - Select **Create New Active Directory accounts**.
 - Type the location in Active Directory where the virtual machines will be placed.
 - In the **Account naming scheme** field, type a name for the virtual machines followed by ### (hashtags). The number of hashtags represents the number of trailing digits required by your naming scheme.
 10. Under **Summary**, review the information for accuracy, type a **Machine Catalog name**, and click **Finish**.

Results

Citrix MCS provisions the pool to the hosts.

Creating delivery groups

Procedure

1. In Citrix Studio, select **Delivery Group > Create Delivery Group**.
2. Read the information under **Introduction**, and then click **Next**.
3. Under **Machines**, verify the machine catalog, select the number of virtual machines for the delivery group, and click **Next**.
4. Under **Users**, select the users that will have access to the delivery group and click **Next**.

Depending on the requirements, you might want to restrict access to certain users for security purposes.

- To select all users, select **Allow any authenticated users to use this Delivery Group**.
 - To restrict access to the delivery group, select **Restrict use of this Delivery Group to the following users**, click **Add**, and select the Active Directory users or groups that should have access.
5. (Optional) Under **Applications**, click **Add** to add applications to the virtual machines.
 6. Click **Next**.
 7. Under **Desktops**, click **Add** to assign users or groups to the virtual machines in the delivery group.
 8. In the **Add Desktop** dialog box, provide the following information and click **OK**.
 - Type a display name for the delivery group.
 - Select the option to allow all users to use the virtual desktop or restrict use to selected users. Click **Add** to select users for restricted access.
 9. Under **Desktops**, review the added information for accuracy and click **Next**.
 10. Under **Summary**, review the settings for accuracy, type a name for the delivery group, and click **Finish**.

The delivery group is created.

11. Right-click the delivery group and select **Edit Delivery Group**.
12. Select **Power Management** and change the virtual machine power settings according to your business policies.

Note

The power settings can also be managed by PowerShell. The Citrix documentation provides more details.

Deploying XenApp hosted shared desktops

Deploy XenApp hosted shared desktops MCS Catalog on XenDesktop 7.x

Before you begin

Ensure that XenDesktop and its core components (Delivery Controller, StoreFront, and Virtual Delivery Agent) are installed. Instructions are provided in the sections, [Installing Delivery Controller](#) on page 12, [Installing StoreFront](#) on page 13, and [Installing the Virtual Delivery Agent](#) on page 16.

Procedure

1. Log in to the Delivery Controller and open Citrix Studio.
2. Select **Machine Catalog > Create Machine Catalog**.
3. Read the information under **Introduction**, and then click **Next**.
4. Under **Operating System**, select **Server OS** and click **Next**.
The selected operating system is used to create the virtual machine pool.
5. Under **Machine Management**, make the following selections, and then click **Next**.
 - Select **Machines that are power managed**. This option enables you to create a pool of virtual machines.
 - For **Deploy machines using**, select **Citrix Machine Creation Services (MCS)**.
 - For **Resources** use the drop-down menu to select which resource that you will be using to during the pool creation process.
6. For **Master Image**, select the virtual machine or previously created snapshot that will be used as the template for the virtual machines being deployed by the pool and click **Next**. If no snapshots have been created before Citrix will automatically create a new snapshot and then click **Next**.
7. Under **Virtual Machines**, provide the following information and click **Next**.
 - Select the number of virtual machines required for the pool.
 - Select the amount of memory for each machine.
 - Select the amount of memory allocated to cache.
 - Select the disk cache size.
8. Verify your settings and click **Next**.
9. Under **Computer Accounts**, provide the following information and click **Next**.

- Select **Create New Active Directory accounts**.
 - Type the location in Active Directory where the virtual machines will be placed.
 - In the **Account naming scheme** field, type a name for the virtual machines followed by ### (hashtags). The number of hashtags represents the number of trailing digits required by your naming scheme.
10. Under **Summary**, review the information for accuracy, type a **Machine Catalog name**, and click **Finish**.

Results

Citrix MCS provisions the XenApp hosted shared desktops to the hosts.

CHAPTER 4

References

This chapter presents the following topics:

- [Dell EMC documentation](#).....22
- [Citrix resources](#).....22

Dell EMC documentation

The following Dell EMC documentation provides additional and relevant information. Access to these documents depends on your login credentials. If you do not have access to a document, contact your Dell EMC representative.

- [Dell EMC Virtual Desktop Infrastructure](#)
- [Dell EMC XC Series Family Technical Resource Center](#)

Citrix resources

The following Citrix resources provide additional and relevant information:

- [XenDesktop and XenApp 7.15 LTSR System Requirements](#)
- [Citrix VDI Handbook and Best Practices](#)
- [Citrix deployment guides](#)
- [Citrix StoreFront Proof of Concept Implementation Guide](#)
- [XenApp and XenDesktop: Install](#)